0149 — € 28,34

HEAVY DUTY STAPLE GUN TACKER

WITH 500 STAPLES AND 500 NAILS

Blister

F585 — € 128,80

2 IN 1 AIR STAPLER AND BRAD NAILER

Blow mold case

Loader capacity	100
Working pressure	5 - 7 bar
Overall sizes	255 x 230 x 67 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Weight	1,40 kg

C586 — € 124,32

AIR BRAD NAILER

Blow mold case

Loader capacity	120
Working pressure	5 - 7 bar
Overall sizes	260 x 240 x 65 mm
Nails	F - 10 / 50 mm
Weight	1,30 kg

0587 — € 87,81

AIR STAPLER

Blow mold case

Loader capacity	100
Working pressure	5 - 7 bar
Overall sizes	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm
Weight	0,86 kg

F588/6 — € 119,84

AIR BRADDER FOR MINI PINS

Blow mold case

Loader capacity	195
Working pressure	5 - 7 bar
Overall sizes	235 x 198 x 46 mm
Staples	0,60 - 12 / 25 mm
Weight	1,00 kg

0585 — € 106,40

2 IN 1 AIR STAPLER AND BRAD NAILER

Blow mold case

Loader capacity	80
Working pressure	5 - 7 bar
Overall sizes	245 x 230 x 55 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Weight	1,38 kg

0586 — € 97,55

AIR BRAD NAILER

Blow mold case

Loader capacity	110
Working pressure	5 - 7 bar
Overall sizes	245 x 225 x 55 mm
Nails	F - 10 / 50 mm
Weight	1,48 kg

0588/6 — € 82,88

AIR BRADDER FOR MINI PINS

Blow mold case

Loader capacity	130
Working pressure	5 - 7 bar
Overall sizes	225 x 170 x 45 mm
Staples	0,60 - 12 / 25 mm
Weight	1,05 kg

C589 — € 70,90

AIR PALM NAILER

Box

Working pressure	5 - 7 bar
Overall sizes	111 x 115 x 70 mm
Nails	ø 2.5 ÷ 4.1 - head ø 6.3 ÷ 8.7 - length 38 ÷ 90 mm
Weight	0,46 kg

COMPATIBILITY CHART

AP01

CAT 42 € 220,64

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

3/8" Box

Speeds	8500 rpm
Torque	542 Nm | 400 lb-ft
Avg air cons.	108 l/min | 3.8 SCFM
Working pressure	6 bar | 90 psi
Weight	1.16 kg | 255.7 lb kg

AP02

CAT 42 € 228,48

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

1/2" Box

Speeds	7800 rpm
Torque	678 Nm | 500 lb-ft
Avg air cons.	136 l/min | 4.8 SCFM
Working pressure	6 bar | 90 psi
Weight	1.16 kg | 255.7 lb kg

AP03

CAT 42 € 236,32

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

1/2" Box

Speeds	7300 rpm
Torque	1085 Nm | 800 lb-ft
Avg air cons.	153 l/min | 5.4 SCFM
Working pressure	6 bar | 90 psi
Weight	2.0 kg | 4.4 lb kg

AP04

CAT 42 € 245,28

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

3/4" Box

Speeds	7300 rpm
Torque	1085 Nm | 800 lb-ft
Avg air cons.	153 l/min | 5.4 SCFM
Working pressure	6 bar | 90 psi
Weight	2.1 kg | 4.60 lb kg

AP05 — CAT 42 — € 571,20

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

3/4" Box

Speeds	5300 rpm
Torque	1900 Nm | 1400 lb-ft
Avg air cons.	224 l/min | 8.1 SCFM
Working pressure	6 bar | 90 psi
Weight	3.3 kg | 7.7 lb kg

AP05/150 — CAT 42 — € 686,56

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY , WITH 150MM ANVIL

3/4" Box

Speeds	5300 rpm
Torque	1900 Nm | 1400 lb-ft
Avg air cons.	224 l/min | 8.1 SCFM
Working pressure	6 bar | 90 psi
Weight	3.3 kg | 7.7 lb kg

AP06 — CAT 42 — € 220,64

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

1/2" Box

Speeds	9000 rpm
Torque	312 Nm | 230 lb-ft
Avg air cons.	113 l/min | 4 SCFM
Working pressure	6 bar | 90 psi
Weight	1.09 kg | 2.4 lb kg

0573 — € 109,98

AIR IMPACT WRENCH

3/8" Box

Speeds	10000 rpm
Torque	244 Nm
Avg air cons.	4 SCFM (120 l/min)
Working pressure	6 bar / 90 psi
Weight	1,5 kg

0571 — € 150,08

AIR IMPACT WRENCH

1/2" Box

Speeds	7000 rpm
Torque	610 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,6 kg

0576 — € 157,92

AIR IMPACT WRENCH

1/2" Box

Speeds	7000 rpm
Torque	435 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,48 kg

0786 — € 265,44

AIR IMPACT WRENCH

3/4" Box

Speeds	4200 rpm
Torque	950 Nm
Avg air cons.	8 SCFM (240 l/min)
Working pressure	6 bar / 90 psi
Weight	4,8 kg

0044 — € 87,81

AIR IMPACT WRENCH SET

13 Pcs 1/2" Box

Speeds	7000 rpm
Torque	320 Nm
Socket	9-10-11-13-14-17-19-22-24-27 mm
Extension	125 mm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar/90 psi
Weight	4,2 kg

0045 — € 52,64

AIR IMPACT WRENCH

1/2" Box

Speeds	7000 rpm
Torque	320 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,3 kg

0052 — € 124,32

AIR IMPACT WRENCH

3/4" Box

Speeds	4800 rpm
Torque	680 Nm
Avg air cons.	6 SCFM (180 l/min)
Working pressure	6 bar / 90 psi
Weight	4,7 kg

0046 — € 82,88

AIR RATCHET WRENCH SET

16 Pcs 1/2" Box

Speeds	160 rpm
Torque	65 Nm
Socket	9-10-11-13-14-17-19 mm
Extension	75 mm
Universal joint	1/2"
Bit holder	1/4"
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	2,86 kg

0047 — € 66,98

1\4" REVERSIBLE AIR SCREWDRIVER

Box

Speeds	9000 rpm
Capacity	4-5 mm
Torque	2,3 - 6,8 Nm
Length	180 mm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi

0339 — € 68,32

REVERSIBLE AIR DRILL

Box

Chuck sizes	Ø 10 mm
Speeds	1800 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	1,1 kg

0574 — € 90,94

REVERSIBLE AIR DRILL

Box

Chuck sizes	Ø 10 mm
Speeds	1800 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	1 kg

COMPATIBILITY CHART

ART.	€	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	PAG
0573	98,20	•	•	•	•	•	456
0571	134,00	•	•	•	•	•	457
0576	141,00	•	•	•	•	•	457
0786	237,00	•	•	•	•	•	457
0044	78,40	•	•	•	•	•	457
0045	47,00	•	•	•	•	•	457
0052	111,00	•	•	•	•	•	457
0046	74,00	•	•	•	•	•	458
0047	59,80	•	•	•	•	•	458

ART.	€	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	PAG
0339	61,00	•	•	•	•	•	458
0574	81,20	•	•	•	•	•	458
AP01	197,00	•	•	•	•	•	455
AP02	204,00	•	•	•	•	•	455
AP03	211,00	•	•	•	•	•	455
AP04	219,00	•	•	•	•	•	455
AP05	510,00	•	•	•	•	•	456
AP05/150	613,00	•	•	•	•	•	456
AP06	197,00	•	•	•	•	•	456

0313 — € 93,07

5" AIR ANGLE DIE GRINDER

Box

Saw blade	Ø 125 mm
Speeds	10000 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,2 kg

0050 — € 40,10

AIR DIE GRINDER SET

Blow mold case

Collets	ø 3 mm - ø 6 mm
Mounted stone	10 Pcs / Pcs
Speeds	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	1,4 kg

0051 — € 27,33

AIR DIE GRINDER

Box

Collets	ø 3 mm - ø 6 mm
Speeds	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,8 kg

0570 — € 91,95

AIR DIE GRINDER SET

Blow mold case

Collets	ø 3 mm - ø 6 mm
Mounted stone	10 Pcs
Speeds	21000 rpm
Power	0,45 hp
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Rear exhaust	
Weight	1,3 kg

0115 — € 51,18

AIR DIE GRINDER

Box

Collets	ø 3 mm - ø 6 mm
Speeds	20000 rpm
Length	295 mm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,7 kg

0641 — € 58,58

FLEXIBLE PNEUMATIC MICROGRINDING WHEEL

Blow mold case

Collet capacity	3 mm
Speeds	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,82 kg

0784 — € 68,77

AIR BELT SANDER

Box

Speeds	16000 rpm
Avg air cons.	6 SCFM (180 l / min.)
Working pressure	6 bar / 90 psi
Belt	10 x 330 mm

0644 — € 37,86

PNEUMATIC AXIAL GRINDING WHEEL

Blow mold case

Saw blade	Ø 75 x 1,5 x Ø 10 mm
Speeds	15000 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,72 kg

0059 — € 32,03

HEAVY DUTY AIR HAMMER WITH 4 HEXAGONAL CHISELS

Box

Speeds	BPM 3500
Bore-stroke	19 x 66 mm / 3/4"x 2 5/8"
Avg air cons.	4,5 SCFM (135 l/min)
Working pressure	6 bar / 90 psi
Weight	1,5 kg

0413 — € 28,56

MINI AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

Box

Collets	ø 3 mm - ø 6 mm
Speeds	25000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Weight	350 g

0414 — € 32,59

AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

Box

Collets	ø 3 mm - ø 6 mm
Speeds	22000 rpm
Avg air cons.	7 SCFM (198 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Weight	580 g

0416 — € 50,74

90° AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

Box

Collets	ø 3 mm - ø 6 mm
Speeds	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	550 g
Air inlet	1/4"

0417 — € 56,00

LONG TYPE AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

Box

Collets	ø 3 mm - ø 6 mm
Length	295 mm
Speeds	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	600 g
Air inlet	1/4"

0418 — € 49,73

REVERSIBLE AIR DRILL

3/8", WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

Box

Chuck sizes	10 Ø mm
Speeds	1800 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	850 g
Air inlet	1/4"

0419 — € 83,89

6" AIR ORBIT SANDER WITH SUCTION

AND SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN

Box

Disc diameter	150 mm – 6"
Orbit	5 mm, 3/16"
Speeds	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	950 g

0421 — € 91,28

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN, CORRUGATED HOSE AND DUST BAG

Box

Disc diameter	150 mm – 6"
Orbit	5 mm, 3/16"
Speeds	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	980 g

0458 — € 83,89

6" AIR ORBIT SANDER WITH SUCTION

SPEED CONTROL, 2.5 mm ORBIT, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN

Box

Disc diameter	150 mm – 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	950 g

0460 — € 99,01

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

SPEED CONTROL, 2.5MM ORBIT, HOOK AND LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN, CORRUGATED HOSE AND DUST BAG

Box

Disc diameter	150 mm – 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	980 g

0459 — € 7,06

HOOK AND LOOP PAD

WITH 6 HOLES AND 5/16"–24TPI MALE THREAD

Disc diameter	150 mm – 6"
Max speed	12000 rpm
Weight	130 g

0049 — € 8,18

1\4" OILER

FOR PNEUMATIC TOOLS

Blister

COMPATIBILITY CHART

ART.	€	0459	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	S100/08X5	S100/10X6.5	S100/12X8	0783/1M	0777/2	0777/3	PAG
0313	83,10		•	•	•	•	•	•	•	•	•	•	•	459
0050	35,80		•	•	•	•	•	•	•	•	•	•	•	459
0051	24,40		•	•	•	•	•	•	•	•	•	•	•	459
0570	82,10		•	•	•	•	•	•	•	•	•	•	•	459
0115	45,70		•	•	•	•	•	•	•	•	•	•	•	459
0641	52,30		•	•	•	•	•	•	•	•	•	•	•	459
0784	61,40		•	•	•	•	•	•	•	•	•	•	•	460
0644	33,80		•	•	•	•	•	•	•	•	•	•	•	460
0059	28,60		•	•	•	•	•	•	•	•	•	•	•	460

ART.	€	0459	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	S100/08X5	S100/10X6.5	S100/12X8	0783/1M	0777/2	0777/3	PAG
0413	25,50		•	•	•	•	•	•	•	•	•	•	•	460
0414	29,10		•	•	•	•	•	•	•	•	•	•	•	460
0416	45,30		•	•	•	•	•	•	•	•	•	•	•	460
0417	50,00		•	•	•	•	•	•	•	•	•	•	•	461
0418	44,40		•	•	•	•	•	•	•	•	•	•	•	461
0419	74,90	•	•	•	•	•	•	•	•	•	•	•	•	461
0421	81,50	•	•	•	•	•	•	•	•	•	•	•	•	461
0458	74,90	•	•	•	•	•	•	•	•	•	•	•	•	461
0460	88,40	•	•	•	•	•	•	•	•	•	•	•	•	461

0543 — € 19,26

CAR EMERGENCY DIGITAL TIRE GAUGE

SUITABLE IN EMERGENCY CONDITIONS, IT CAN BE USED IN 4 DIFFERENT WAYS: DIGITAL TIRE GAUGE, LED FLASHLIGHT, GLASS BREAKER HAMMER, SEAT BELT CUTTER

Blister

Range	3÷150 psi, 0.21÷10.34 bar, 21÷1034 kPa
Working temperature	-20°C ~ + 50° C
Included batteries	2 AA
Weight	0,152 kg

0836 — € 16,02

DIGITAL PRESSURE GAUGE

WITH TYRE DEPTH GAUGE AND LED LIGHT

Blister

Range	0,5 ÷ 99.5 psi, 0.034 ÷ 6.86 bar, 3,45 ÷ 686 kPa
Accuracy	±1%
Included batteries	3 x SR44

W021PA — € 6,61

BLOW GUN

Blister

Nozzle	2.0 mm
Working pressure	2 - 6 bar

W021PG — € 16,80

TYRE INFLATING GUN

Blister

Max. pressure	12 bar (170 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Accuracy	±1%
Rubber hose length	440 mm

W021PN — € 13,78

WASHING GUN

WITH ALUMINIUM BODY AND STEEL CUP

Box

Capacity	900 ml
Nozzle	4.5 mm
Working pressure	3 - 4 bar
Weight	520 g

0607 — € 6,05

BLOW GUN

Blister

0125 — € 34,61

DIGITAL TYRE GAUGE

WITH BACKLIGHT AND VARIOUS MEASUREMENT UNITS

Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0.05 bar (0.7 psi)
Not included batteries	2 x 1.5V AAA
Rubber hose length	80 mm

0608 — € 16,91

TYRE INFLATING GUN

Blister

Manometer	ø 63 mm
Reading	0 ÷ 12 bar(0 ÷ 174 psi)
Rubber hose length	420 mm

0610 € 13,89

WASHING GUN

Box

Capacity	1000 cc

0609 € 41,44

TYRE INFLATING GUN

Blister

Manometer	ø 80 mm
Reading	0 ÷ 12 bar (0 ÷ 174 psi)
Rubber hose length	1.000 mm

0725 € 6,16

BLOW GUN

Blister

Hose length	100 mm

0725L € 8,40

LONG NOSE BLOW GUN

Blister

Hose length	275 mm

0412 € 9,97

BLOW GUN

HIGH QUALITY, WITH CHROMED STEEL 100 mm NOZZLE GUN BODY IN POM PLASTIC (POLYOXYMETHYLENE) BRASS VALVE

Blister

Hose length	100 mm
Air inlet	1/4"

TH601A — € 140,00

GRAVITY FEED SPRAY GUN

600 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

Box

Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	130 ml/min
Working pressure	2 bar (29 PSI)
Working distance	200 mm
Pattern	280 - 300 mm
Weight	500 g

TH602A — € 114,24

GRAVITY FEED SPRAY GUN

100 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

Box

Capacity	100 ml
Nozzle diameter	1,0 mm
Fluid delivery	50 ml/min
Working pressure	1,5 bar (20 PSI)
Working distance	150 mm
Pattern	160 mm
Weight	300 g

TH901A — € 140,00

GRAVITY FEED SPRAY GUN

600 ML FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE

Box

Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	140 ml/min
Working pressure	2 ÷ 2,2 bar (29 ÷ 32 PSI)
Working distance	200 mm
Pattern	270 - 300 mm
Weight	500 g

A601DS — € 93,07

SUCTION SPRAY GUN

1000 ML SUCTION HVLP SPRAY GUN WITH BAIONET LOCK, ALUMINUM CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

Box

Nozzle	ø 1,4mm
Capacity	1000 cc
Working pressure	2,5 - 3 bar

A601A — € 89,94

GRAVITY FEED SPRAY GUN

600 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

Box

Nozzle	ø 1,4mm
Capacity	600 cc
Working pressure	2,5 - 3,5 bar

A602A — € 58,13

GRAVITY FEED SPRAY GUN

10 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

Box

Nozzle	ø 1,0mm
Capacity	100 cc
Working pressure	2 - 2,5 bar

A901A — € 88,37

GRAVITY FEED SPRAY GUN

600 ML FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE

Box

Capacity	600 ml
Nozzle diameter	1,4 mm
Fluid delivery	200-380 ml/min
Max. pressure	2-3 bar (30-43 PSI)
Weight	606 g

A902A — € 59,25

GRAVITY FEED SPRAY GUN

100 ML FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE

Box

Capacity	100 ml
Nozzle diameter	1 mm
Fluid delivery	45 - 65 ml/min
Max. pressure	1.5 - 2.5 bar (22 - 36 PSI)
Weight	306 g

A162DS — € 35,50

SPRAY GUN WITH FLUID CUP PROVIDED WITH BAYONET LOCK

Box

Nozzle	ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min

A162C — € 25,20

SPRAY GUN WITH FLUID CUP PROVIDED WITH RAPID LOCK

Box

Nozzle	ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min

A162A — € 21,28

SPRAY GUN WITH GRAVITY FLOW CUP

Box

Nozzle	ø 1,8 mm
Capacity	500 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min

0048 — € 16,13

MINI SPRAY GUN

FITTING FOR PRESSURIZED AIR CONTAINER AND 1/4" FITTING FOR AIR COMPRESSOR

Plastic box

SPRAY GUNS SPARE PARTS

ART.	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A
TH601A13	•										
TH601A14	•										
TH601A17	•										
TH601A20	•										
TH602A08		•									
TH602A10		•									
TH901A13			•								
TH901A14			•								
TH901A17			•								
TH901A20			•								
A601DS14				•							
A601DS17				•							
A601DS20				•							
A601A14					•						
A601A17					•						
A601A20					•						
A602A08						•					

ART.	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A
A602A10						•					
A901A14							•				
A901A17							•				
A901A20							•				
A902A08								•			
A902A10								•			
A162DS/1.2C									•		
A162DS/1.5C									•		
A162DS/1.8C									•		
A162DS/2.0C									•		
A162DS/2.5C									•		
U1500R/1.2C										•	•
U1500R/1.5C										•	•
U1500R/1.8C										•	•
U1500R/2.0C										•	•
U1500R/2.5C										•	•

TH250 — € 14,22

PRESSURE REGULATOR

WITH GAUGE FOR AIR TOOLS

Blister

Manometer	ø 40 mm
Reading	0 ÷ 11 bar (0 ÷ 160 psi)

TH500 — € 24,86

PRESSURE REGULATOR

WITH GAUGE FOR AIR TOOLS

Blister

Manometer	ø 30 mm
Reading	0 ÷ 10 bar (0 ÷ 145 psi)

S075-

POLYURETHANE SPIRAL HOSE WITH SWIVEL MALE FITTING

Art.	€	Length	Diameter	Thread
S075/08X5	€ 11,98	7,5 m	Ø 8 x 5 mm	1/4"
S075/10X6.5	€ 16,80	7,5 m	Ø 10 x 6,5 mm	1/4"
S100/08X5	€ 14,45	10 m	Ø 8 x 5 mm	1/4"
S100/10X6.5	€ 21,28	10 m	Ø 10 x 6,5 mm	1/4"
S100/12X8	€ 23,52	10 m	Ø 12 x 8 mm	3/8"

0785-xM

SET 2 PCS UNIVERSAL MALE QUICK COUPLER

Art.	€	Shank
0785/1M	€ 9,30	1/4"
0785/2M	€ 9,30	3/8"

0785-xF

SET 2 PCS UNIVERSAL FEMALE QUICK COUPLER

Art.	€	Shank
0785/1F	€ 9,30	1/4"
0785/2F	€ 9,30	3/8"

0783-xM

SET 2 PCS OF GERMAN TYPE MALE PLUG

Art.	€	Shank
0783/1M	€ 2,63	1/4"
0783/2M	€ 2,63	3/8"

0783-xF

2 PCS SET GERMAN TYPE FEMALE PLUG

Art.	€	Shank
0783/1F	€ 2,43	1/4"
0783/2F	€ 2,43	3/8"

COMPATIBILITY CHART

ART.	€	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A	PAG
TH250	12,7	•	•	•	•	•	•	•	•	•	•	•	467
TH500	22,2	•	•	•	•	•	•	•	•	•	•	•	467
S075/08X5	10,7	•	•	•	•	•	•	•	•	•	•	•	467
S075/10X6.5	15	•	•	•	•	•	•	•	•	•	•	•	467

ART.	€	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A	PAG
S100/08X5	12,9	•	•	•	•	•	•	•	•	•	•	•	467
S100/10X6.5	19	•	•	•	•	•	•	•	•	•	•	•	467
S100/12X8	21	•	•	•	•	•	•	•	•	•	•	•	467
0783/1F	2,17	•	•	•	•	•	•	•	•	•	•	•	468

0378/1510 CAT 42 € 153,44

AUTO REWIND AIR HOSE REEL

MADE OF PP SHELL, WITH PU MESH HOSE AND REGOLATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART

Box

Air flow	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Gross weight	9

0481/15 € 117,60

AUTO REWIND AIR HOSE REEL

MADE OF ABS, WITH PU MESH HOSE, GERMAN TYPE FEMALE QUICK COUPLER, GERMAN TYPE FEMALE PLUG AND REGOLATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART

Box

Air flow	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Weight	5 kg

0240/15 — € 138,88

AUTO REWIND AIR HOSE REEL

WITH PU MESH HOSE

Portata	16 bar / 250 psi
Lunghezza tubo	15 m + 1m
Raccordi maschio	1/4" BSPT
Diametro tubo	12 x 8 mm

0777/2 — € 35,73

REDUCER WITH GAUGE AND FILTER

Attacco	1/4" - 3/8" - 1/2"

0777/3 — € 63,39

REDUCER WITH GAUGE, FILTER AND OILER

Shank	1/4" - 3/8" - 1/2"
Reading	0 ÷ 10 bar (0 ÷ 140 psi)

0793 € 18,37

WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE

Power	230 V 50 Hz 30 W

0033A CAT 42 € 101,70

HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	420°C
Power station supply	230 V 50 Hz
Soldering power supply	24 V 48 W

0031 CAT 42 € 29,90

HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	450°C
Power	230 V, 50 Hz, 37 W

0027/30W CAT 42 € 11,54

SOLDERING IRON

Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%

0027/40W CAT 42 € 13,10

SOLDERING IRON

Power	230 V 50 Hz 40 W
Working temperature	450°C ± 10%

0033A/TIP CAT 42 € 16,35

SOLDERING IRON TIP SET

4 Pcs

0027/40W/TIP CAT 42 € 16,35

SOLDERING IRON TIP SET

4 Pcs

0037 — € 17,81

SOLDERING IRON COMBINATION SET

Power	230V 50Hz 30W

0037/TIP — € 14,56

SOLDERING IRON SPARE PART TIP

SET OF TIPS WITH HOLE Ø 6 mm

5 Pcs

0864 — € 40,88

GAS SOLDERING IRON

TIP AND SOLDER HEADS WITH PROTECTION CAP AND GAS IGNITER

Overall sizes	165 x 23 mm

0026 — € 18,14

SOLDERING GUN

WITH TIN AND A SPARE POINTER

Power	230 V 50 Hz 100 W

0443 — € 51,18

FAST HEATING SOLDERING GUN

WITH ADJUSTABLE TEMPERATURE

Blow mold case

Power	230V 50Hz 200W
Temperature	70 °C ÷ 500 °C
Weight	1350 g

0024 — € 27,33

HOT AIR GUN

2 speeds	375 °C - 495 °C
Air stream	280 l/min - 480 l/min
Power	230 V 50Hz 1,5 kW

COMPATIBILITY CHART

ART.	0033A/TIP	0027/40W/TIP	0037/TIP
0033A	•		
0027/30W	•		
0027/40W		•	
0037			•

0694 — € 40,54

HOT AIR GUN SET

Blow mold case

2 speeds	300 °C - 600 °C
Air stream	500 l/min - 650 l/min
Power	230 V 50 Hz 1 - 2 kW

0444 — € 76,38

DIGITAL HOT AIR GUN SET

WITH ELECTRONIC TEMPERATURE CONTROL, LCD DISPLAY TO SHOW THE TEMPERATURE, 2 LEVELS OF AIR FLOW, IDEAL FOR HEATING, FOLDING, BENDING, REMOVING PAINT

Power	230 V, 50 Hz, 2000 W
Temperature	I 70°C - II 70°C ÷ 600°C - III 70°C ÷ 600°C
Air stream	I 300L/min - II 300L/min - III 500L/min
Weight	735 g

0865 — € 57,68

ELECTRIC BARBECUE LIGHTER

LIGHTS CHARCOAL ON THE BARBECUE OR IN THE FIREPLACE COMPLETELY WITHOUT CHEMICALS AND MATCHSTICKS. HIGH-PERFORMANCE 2000 W BARBECUE AND FIREPLACE LIGHTER GENERATES 600°C HEAT AND SETS CHARCOAL ON FIRE IN APPROX. 30 - 60 SECONDS

Color box

Power	230 V, 50 Hz, 2000 W
Temperature	600° C
Weight	1 kg

0441 — € 63,50

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE CUTTING LENGTH, METAL STAND

Power	230 V, 50 Hz, 220 W
Temperature	120 - 220 - 330 - 400 - 450 °C
Cutting capacity with adjustment	20 ÷ 90 mm
Max cut	150 mm
Weight	770 g

0321 € 43,23

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE CUTTING LENGTH, METAL STAND

Power	230 V, 50 Hz, 130 W
Temperature	Max 450 °C
Cutting capacity with adjustment	14 ÷ 97 mm
Max cut	120 mm
Weight	0,72 kg

0706 € 33,15

GLUE GUN TRIGGER FEED

Power	230 V 40W 300 °C
Glue stick	ø 12 mm

0508 € 10,20

GLUE GUN TRIGGER FED

EQUIPPED WITH AUTOMATIC ADVANCE

Power	230 V 28 W 160 °C
Glue stick	ø 12 mm

0333 € 100,91

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE CUTTING LENGTH, METAL STAND

Power	230 V, 50 Hz, 150 W
Temperature	Max 500 °C
Max cut	150 mm
Weight	1.20 kg

0333/150 € 16,35

SPARE BLADE

0431 € 16,35

GLUE GUN TRIGGER FEED

EQUIPPED WITH AUTOMATIC ADVANCE AND LED FOR REPORTING THE GUN'S CONNECTION TO THE POWER GRID

Power	230 V, 35 W, 200 °C
Glue stick	Ø 12 mm
Glue flow	16 ÷ 20 g/min
Weight	413 g

0034 € 4,61

HOT MELT GLUE STICKS

10 Pcs

Dimensions	Ø 12 x 200 mm Tot. 200 gr

0071 € 4,87

HOT MELT GLUE STICKS

10 Pcs

Overall sizes	Ø 12 x 200 mm 200 gr

0156-

FLEXIBLE OIL-CAN

Art.	€	Capacity
0156/200	€ 5,32	200 cc
0156/500	€ 6,61	500 cc

0158/500 € 8,06

PLASTIC OILER WITH FLEXIBLE SPOUT

Capacity	500 cc

0164/250 € 6,94

PLASTIC OILER WITH VERTICAL FLEXIBLE SPOUT

Capacity	250 cc

0473-

OIL DRAIN PAN

WITH POURING SPOUT AND HANDLES, MADE OF HIGH DENSITY POLYETHYLENE, IMPACT RESISTANT

Art.	€	Capacity	Dimensions	Weight
0473/10	€ 17,36	10 l	Ø400 x 120h mm	0,83 kg
0473/15	€ 18,93	15 l	Ø500 x 130h mm	1 kg

0171-

MEASURING JUG

WITH FLEXIBLE SPOUT, SCREW COVER AND ANTI-DRIPPING END CAP

Plastic

Art.	€	Capacity
0171/2	€ 9,97	2 l
0171/3	€ 9,86	3 l
0171/5	€ 13,44	5 l

0183/750 € 3,19

PLASTIC CAN WITH SPOUT

PLASTIC CAN WITH SPOUT

Capacity	750 cc

0172/150 — € 7,62

PLASTIC FUNNEL

WITH DIAMETER DI Ø 150 mm, CLOSING SCREW, FLEXIBLE SPOUT, ANTI-DRIPPING TOP/END COVERS AND UPPER HANDLE FOR THE HANGING

Diameter	Ø150 mm
Height	435 mm

0677/500 — € 15,90

500 CC HAND OPERATED LEVER GREASE GUN

COMPOSED OF METAL TANK AND PUMP, COUPLER AND 300 mm PVC FLEXIBLE HOSE, FOR USIGN WITH LOOSE GREASE OR Ø 53 mm GREASE CARTRIDGES

Box

Capacity	500 cc
Flexible hose sizes	ø 8 x 300 mm
Working pressure	6000-8000 psi
Weight	1,3 kg

0677 — € 36,29

HAND OPERATED LEVER GREASE GUN

COMPOSED OF METAL TANK AND PUMP, COUPLER AND 450 mm PVC FLEXIBLE HOSE FOR USING Ø 55 mm GREASE CARTRIDGES OR LOOSE GREASE (ADAPTOR ALREADY MOUNTED)

Box

Capacity	1000 cc
Flexible hose sizes	Ø 9 x 450 mm
Weight	2 kg

0677/IA — € 247,52

AIR OPERATED GREASE GUN

TO BE USED WITH Ø 55 mm CARTRIDGE OR LOOSE GREASE WITH 2 GREASE CARTRIDGES, 400 mm REINFORCED HOSE INCLUDED AND 4 JAW ADJUSTABLE FITTING

Box

Capacity	800 cc
Overall sizes	Ø 60 x 500 mm
Working pressure	4 - 6 bar

0677/CG — € 9,41

GREASE CARTRIDGE

Box

Capacity	650 cc
Overall sizes	Ø 55 mm

0677/SO — € 25,31

PLASTIC SUCTION DISCHARGE GUN

Box

Capacity	500 g
Overall sizes	Ø 50 x 500 mm